

INDEX TO VOLUME XLIII

INDEX TO AUTHORS AND TITLES

- Ames, L. M.** New species of cellulose decomposing fungi 29
- Barnett, H. L.** See Timnick, Lilly and Barnett 625
- Barrus, M. F.** Harry Morton Fitzpatrick, 1886-1949 249
- Bonar, Lee.** Two new fungi on *Torreya* 62
- Boothroyd, Carl W.** A new leaf spot of *Celastrus scandens* L., the climbing bittersweet 376
- Brock, Thomas D.** Studies on the nutrition of *Morchella esculenta* Fries 402
- Brodie, Harold J.** Two heterothallic species of the genus *Nidula* 329
- Cash, Edith K.** Some new species of discomycetes from Mount Shasta 229
- Carmichael, J. W.** The pulmonary fungus *Haplosporangium parvum*. II. Strain and generic relationships 605
- Carrión, A. L.** *Cephalosporium falciforme* sp. nov., a new etiologic agent of maduromycosis 522
- Cook, Melville T.** Species of *Synchytrium* in Louisiana. VI. Two new species on *Impatiens* and *Smilax* 103
- Distribution of species of *Synchytrium* in North America 590
- Connors, I. L.** See Savile and Connors 186
- Cooke, Wm. Bridge.** The genus *Cytidia* 196
- Cordon, T. C.** See Weaver and Cordon 5
- Cummins, George B.** Uredinales of continental China collected by S. Y. Cheo. II. 78
- Cutter, Victor M., Jr.** See Yaw and Cutter 156
- See Redmond and Cutter 723
- Dearden, Elizabeth Ruth.** See Jackson and Dearden 54
- Dick, Esther A.** See Snell, Dick and Hesler 359
- Downing, Mary H.** See Reese and Downing 16
- See White and Downing 645
- Drechsler, Charles.** Various zoöpagaceous fungi subsisting on protozoans and eelworms 161
- Fischer, George W.** Some new grass smut records from the western states. II. 67
- Fitzpatrick, Harry Morton.** Notes on *Corynelia oreophila* (Speg.) Starb. and closely related species 437
- Georg, Lucille K.** The relation of nutrition to the growth and morphology of *Trichophyton violaceum*. I. The vitamin and amino acid requirements of *T. violaceum* 297
- The relation of nutrition to the growth and morphology of *Trichophyton violaceum*. II. The influence of nutritional factors on the morphology of *T. violaceum* 536

INDEX TO VOLUME XLIII

INDEX TO AUTHORS AND TITLES

- Ames, L. M.** New species of cellulose decomposing fungi 29
- Barnett, H. L.** See Timnick, Lilly and Barnett 625
- Barrus, M. F.** Harry Morton Fitzpatrick, 1886-1949 249
- Bonar, Lee.** Two new fungi on *Torreya* 62
- Boothroyd, Carl W.** A new leaf spot of *Celastrus scandens* L., the climbing bittersweet 376
- Brock, Thomas D.** Studies on the nutrition of *Morchella esculenta* Fries 402
- Brodie, Harold J.** Two heterothallic species of the genus *Nidula* 329
- Cash, Edith K.** Some new species of discomycetes from Mount Shasta 229
- Carmichael, J. W.** The pulmonary fungus *Haplosporangium parvum*. II. Strain and generic relationships 605
- Carrión, A. L.** *Cephalosporium falciforme* sp. nov., a new etiologic agent of maduromycosis 522
- Cook, Melville T.** Species of *Synchytrium* in Louisiana. VI. Two new species on *Impatiens* and *Smilax* 103
- Distribution of species of *Synchytrium* in North America 590
- Connors, I. L.** See Savile and Connors 186
- Cooke, Wm. Bridge.** The genus *Cytidia* 196
- Cordon, T. C.** See Weaver and Cordon 5
- Cummins, George B.** Uredinales of continental China collected by S. Y. Cheo. II. 78
- Cutter, Victor M., Jr.** See Yaw and Cutter 156
- See Redmond and Cutter 723
- Dearden, Elizabeth Ruth.** See Jackson and Dearden 54
- Dick, Esther A.** See Snell, Dick and Hesler 359
- Downing, Mary H.** See Reese and Downing 16
- See White and Downing 645
- Drechsler, Charles.** Various zoöpagaceous fungi subsisting on protozoans and eelworms 161
- Fischer, George W.** Some new grass smut records from the western states. II. 67
- Fitzpatrick, Harry Morton.** Notes on *Corynelia oreophila* (Speg.) Starb. and closely related species 437
- Georg, Lucille K.** The relation of nutrition to the growth and morphology of *Trichophyton violaceum*. I. The vitamin and amino acid requirements of *T. violaceum* 297
- The relation of nutrition to the growth and morphology of *Trichophyton violaceum*. II. The influence of nutritional factors on the morphology of *T. violaceum* 536

- Gopalkrishnan, K. S.** Notes on the morphology of the genus *Hemileia* 271
- Gordon, Morris A.** The lipophilic mycoflora of the skin. I. In vitro culture of *Pityosporum orbiculare* n. sp. 524
- Groves, J. Walton.** *Dermatea* vs. *Dermca* 114
- Correction—re *Dermca* 463
- A *Dermca* on *Prunus* from China 719
- Hazen, Elizabeth L.** Effect of nutrition on the colony characteristics and macroconidial formation of *Microsporium andouini* 284
- Hesler, L. R.** See Snell, Dick and Hesler 359
- Jackson, H. S. and Elizabeth Ruth Dearden.** Studies of North American Thelephoraceae. I. Some new western species of *Peniophora* 54
- Johnson, T. W., Jr.** An isolate of *Dictyuchus* connecting the false-net and true-net species 365
- , **A. W. Ziegler and Betty Linthicum.** A note on *Dictyuchus pseudo-dictyon* 728
- Korf, Richard P.** *Arachnopeziza obtusipila* Grélet descr. emend. 211
- Kuehner, Calvin C.** The effect of added B-vitamins on the growth and ester production of *Hansenula anomala* (Hansen) Sydow 389
- Lilly, Virgil Greene.** See Timmick, Lilly and Barnett 625
- Ling, Lee.** Studies in the genus *Cintractia*. III. *C. leucoderma* and related species 310
- Linthicum, Betty.** See Johnson, Ziegler and Linthicum 728
- Lowy, Bernard.** A morphological basis for classifying the species of *Auricularia* 351
- New evidence for typification of *Auricularia* 462
- Lurie, H. I.** *Sporotrichum* species: their nitrogen metabolism 117
- McVeigh, Ilda.** See Robbins and McVeigh 11
- Mains, E. B.** Entomogenous species of *Hirsutella*, *Tilachlidium* and *Synnamatium* 691
- Martin, G. W.** The genus *Seismosarca* Cooke 112
- Moss, E. H.** Rusts on *Adoxa* in Alberta 99
- Murrill, W. A.** New agarics from Florida 235
- The poroid genus *Diacanthodes* Singer 376
- Olive, Lindsay S.** Taxonomic notes on Louisiana fungi. III. Additions to the Tremellales 677
- Ragab, M. A.** The status of the generic names *Mycoacia* and *Oxydontia* 459
- Ranzoni, Francis V.** Nutrient requirements for two species of aquatic hyphomycetes 130
- Redmond, Douglas R. and Victor M. Cutter, Jr.** An example of synergistic growth inhibition between root-inhabiting fungi 723
- Reese, Elwyn T. and Mary H. Downing.** Activity of the Aspergilli on cellulose, cellulose derivatives and wool 16
- Reischer, Helen Simpson.** Growth of Saprolegniaceae in synthetic media. I. Inorganic nutrition 142

- . Growth of Saprolegniaceae in synthetic media. II. Nitrogen requirements and the role of Krebs cycle acids 319
- Robbins, William J. and Ilda McVeigh.** Observations on the inhibitory action of hydrolyzed agar 11
- Rogers, Donald P.** *Trechispora* and *Pellicularia* 111
- . The relative dates of Gray's Natural Arrangement, Mérat's Nouvelle Flore and Hooker's Flora Scotica 376
- Savile, D. B. O.** *Peronospora stigmaticola* in Canada 113
- . The relationship of *Puccinia praegracilis* and *P. connersii* 456
- and **I. L. Conners.** The rusts of *Armeria* and *Limonium* in North America 186
- Shaw, Charles Gardner.** New species of the Peronosporaceae 445
- Singer, Rolf.** *Thaxterogaster*—a new link between Gasteromycetes and Agaricales 215
- . New genera of fungi. V 598
- Smith, Alexander H.** The North American species of *Naematoloma* 467
- Snell, Walter H., Esther A. Dick and L. R. Hesler.** Notes on boletes. VIII 359
- Sprague, Roderick.** Some leafspot fungi on western Gramineae. VI 549
- Stevenson, John A.** George Lorenzo Zundel 1
- Sussman, Alfred S.** Studies of an insect mycosis. I. Etiology of the disease 338
- . Studies of an insect mycosis. II. Host and pathogen ranges 423
- Suter, Loyal S.** A new species of *Nocardia*, *N. fastidiosa* n. sp., isolated from a penile ulcer 658
- Thirumalachar, M. J. and Marvin D. Whitehead.** An undescribed species of *Physoderma* on *Aeschynomene indica* 430
- Timnick, Margaret B., Virgil Greene Lilly and H. L. Barnett.** The effect of nutrition on the sporulation of *Melanconium fuligineum* in culture 625
- Weaver, E. C. and T. C. Cordon.** Increasing potencies of enzymes produced by *Aspergillus niger* 5
- Weber, George F.** *Corticium microsclerotium* nom. nov. 727
- Wehmeyer, Lewis E.** Studies in the genus *Pleospora*. III 34
- . Studies in the genus *Pleospora*. IV 570
- Whiffen, Alma J.** The effect of cycloheximide on the sporophyte of *Allomyces arbuscula* 635
- White, W. Lawrence and Mary H. Downing.** *Coccospora agricola* Godard, its specific status, relationships, and cellulolytic activity 645
- Whitehead, Marvin D.** See Thirumalachar and Whitehead 430
- Yaw, Katherine E. and Victor M. Cutter, Jr.** Crosses involving biochemically deficient mutants of *Allomyces arbuscula* 156
- Ziegler, A. W.** See Johnson, Ziegler and Linthicum 728
- Zundel, George L.** Notes on the Ustilaginales of the world. V 267

INDEX TO GENERA AND SPECIES

New names, the final members of new combinations, and the page where they appear, are in **bold face type**. An attempt has been made to correct mistakes in the spelling of scientific names occurring in the text.

- Abortiporus 376
 Acaulopage lophospora 161, 175;
 marantica 162; tetraceros 175
 Achlya 142, 152, 365, 370; bisexualis
 146, 150, 320, 326; colorata 146,
 150, 320, 326; conspicua 143;
 flagellata 143, 146, 150, 320, 326;
 klebsiana 146-152; 320-327; ob-
 longata 143; polyandra 143; pro-
 lifera 143; racemosa 146, 150, 320,
 326
 Achorion violaceum 544, 546
 Acia 459, 460; fuscoatra 459
 Actinomyces 661; asteroides 661
 Aecidium 96, 97, 273; eleagni-lati-
 foliae 273; foetidum 97; fraxini-
 bungeani 96; girardiniae 96; graeb-
 nerianum 456, 458; hamamelidis
 85; klugkistianum 96; ligustricola
 96; polygoni-cuspidatae 96; quin-
 tum 96
 Aegeria pyri 705
 Agaricus 468; campestris 402, 499;
 capnoides 508; dispersus 511; ela-
 tior 481; elongatipes 492; epixan-
 thus 472; ericaeus 485; fascicularis
 516; fascicularis *var.* marginatus
 511; galericulatus 713; lateritius
 505; myosotis 481; perplexus 505;
 squalidellus 493; sublateritius 468,
 505; subviridis 519, 520; udus 483;
 udus *var.* elongatus 491; udus *var.*
 polytrichi 496
 Akanthomyces 692
 Aleurocystus 201; capensis 208
 Aleurodiscus 196; capensis 208; cor-
 neus 208
 Allomyces anomala 641, 642; arbus-
 cula 156, 635; kniepii 642
 Alternaria tenuis 425
 Amanita 225
 Aphanomyces 143; stellatus 143
 Apiocarpella agropyri 558; macro-
 spora 558; trachycaulum 558;
 utahensis 558, 559
Aplectosoma 173; microsporium
 173, 177, 180
 Arachnopeziza obtusipila 211; obtu-
 sipila *var.* minor 211, 213
 Armillariella 598, 602
 Arthrosporia violacea 544, 546
 Ascochyta 115; brachypodii 555;
 graminea 556, 557; hordei 556,
 557; phleina 557; sorghi 555, 557;
 utahensis 558
 Ascotricha 29, 32, 33; chartarum 29,
 33; **guamensis 30**; pusilla 29, 33;
xylina 29
 Aspergillus 426; carbonarius 21, 23,
 24, 27; chevalieri 21, 23, 27;
 chevalieri *var.* intermedius 21;
 clavatus 18, 19, 22-24, 26, 424,
 426; depauperatus 426; effusus 426;
 fischeri 19, 22, 23, 26, 424, 426;
 flavipes 18, 19, 22, 23, 26, 424;
 flavescens 426; flavus 19, 23, 26, 338, 423,
 424, 426, 427; flatus-oryzae 18;
 foetidus 21; fonsecaeus 21; fumi-
 gatus 18, 19, 22, 23, 26, 424, 426;
 galericus 426; giganteus 19, 22, 26,
 424, 426; glaucus 18, 24, 426;
 luchuensis 22, 23, 25-27, 340, 342,
 349, 424; malignus 426; monte-
 vidensis 21, 27; nidulans 18, 20, 22-
 24, 26, 426; niger 5, 18, 26, 142,
 144, 418, 424, 426; niger *mut.* cin-
 namomeus 21; niger *mut.* schie-
 manni 21, 23, 24, 26, 27; niveus
 19, 26, 426; ochraceus 18, 20, 23,
 24, 26, 424, 426; oryzae 19, 26,
 424, 426; panamensis 20, 27; para-
 siticus 19, 26, 424, 426; phoenicis
 21; repens 21, 23, 27; restrictus
 21, 27; ruber 424; rugulosus 18,
 20, 26; sclerotiorum 20, 26; sydowi
 20, 23, 26, 27, 424, 426; tamarii 18,
 20, 23, 26, 424, 426; terreus 18, 19,
 23, 36, 424, 426; unguis 18, 20, 22,
 23, 27, 424; ustus 18, 20, 23, 24, 26,
 424; ustus *var.* laevis 20; versicolor
 18, 20, 23, 27, 424; wentii
 18, 20, 27, 424
 Auricularia 113, 351, 462; auricularis
 357; cornea 357; delicata 357;
 emini 356; fuscouscinea 352, 357;
 leveillei 204; mesenterica 357, 463;
 ornata 357; peltata 357; polytricha
 353, 357; rosea 352, 353; tenuis
 113, 354, 357; tremelloides 462, 463
 Auriculariopsis 201; ampla 204;
 flocculenta 204
 Auriscalpium 240
 Bacillus cereus 153; mycoides 13;
 subtilis 13; weidmaniensis 284
 Bankera 240; fuliginco-alba 241

- Battarraea 223
 Bdellospora 173; helicoides 173
 Beauveria 616
 Belonidium albo-rubrum 211, 213
 Blastomyces 621; brasiliensis 622;
 dermatitidis 622, 623
 Bodinia glabra 544, 546; violacea
 544, 546
 Boletinus decipiens 220, 221
 Boletus flavissimus 364; fulvus 363,
 364; granuloseiceps 363; pulveru-
 lentus 362; pulverulentus *var.*
reticulatus 362; weberi 363
 Bourdotia 113; cinerella 684
 Brevillegnia gracilis 143, 146, 319;
 unisperma 150, 320, 326, 327

 Caeoma **cheoanum** 95; **torreyae** 62
 Calloria 232; caulophylli 232; oleosa
 232; solidaginis 232; subalpina 232
 Calyptralegnia achlyoides 320, 326
 Campanella floridana 247
 Candida 621
 Cantharellula 601; coprophila 601
 Cantharellus cibarius 221; lateritius
 221
 Catathelasma 225
 Cenangium rubi 720
 Cephalosporium 522, 704, 716; gri-
 seum 522; **falciforme** 522, 523;
 keratoplasticum 522
 Cerinomyces crustulinus 689
 Chaetomium 32; globosum 14; pu-
 sillum 33
 Cintractia 244, 310; affinis 311; al-
 bida 316; amicta 311, 312; can-
 cellata 311, 312; javanica 314, 316;
 junci 312; junci *f. cylindrica* 311,
 312, 316; krugiana 314, 316, 317;
 krugiana *var. usambarensis* 314,
 316, 317; leucoderma 310-312, 314,
 317; leucoderma *var. chacoensis*
 312; leucoderma *var. utriculicola*
 314, 317; montagnei *var. major*
 312; pachyderma 312; peribebuy-
 ensis 316; portus-argenti 312;
scleriae 314; striata 312; usam-
 barensis 316; utriculicola 314, 317
 Cladosporium herbarum 554
 Clasterosporium obclavatum 64
 Clathrospora cookei 587
 Clitocybe 225, 599, 601; **subfellea**
 235
 Coccidioides 621, 623; immitis 118,
 605, 621, 622
 Coccospora 645, 546; agricola 645,
 652, 654
 Cochliobolus 550; **boutelouae** 550
 Cochlonema 161, 171, 172, 173, 179,
 181, 183; agamum 163; **calo-**
sperma 167; euryblastum 162, 163;
 megalosorum 165; megaspirema
 162; odontosperma 165
 Colletotrichum 564; falcatum 564;
 graminicola 554, 563, 564
 Collybia umbrinescens 235
 Coniophora 112, 113
 Conocybe 473
 Coprinarius ericaeus 485; udus 483
 Coprinus 226; lagopus 331; prae-
 magnus 236; **westii** 236
 Cordyceps 696; bovellii 704; clavu-
 lata 701; elongata 706; entomor-
 rhiza 702; formicivora 712; hum-
 berti 711; sphaerocephala 711;
 stylophora 702; tuberculata 707;
 unilateralis 711, 712; variabilis 703
 Corticium 60; flocculentum 204; hab-
 gallae 208; **microsclerotia** 727;
 pezizoideum 207; salicinum 202;
 sanguineum 202; sarcoides 204;
 wettsteinii 207
 Cortinarius 221, 222, 226, 227, 376
 Corynelia 437; bispora 437; brasili-
 ensis 437; fructicola 437; jamai-
 censis 437; oreophila 437; porto-
 ricensis 437
 Coryneliospora 437
 Costantinella 402
 Crucibulum 329, 336, 337; levis 109;
 vulgare 331, 336
 Cryptococcus psoriasis 525
 Cyathus 329, 336, 337; striatus 109,
 331; olla 331; stercoreus 331
 Cyphella 196; ampla 204; floccu-
 lenta 204
 Cytospora 280
 Cytidia 196; cornea 208; cruenta
 202; flocculenta 196, 197, 199, 202,
 204; habgallae 196, 199, 200, 201,
 208; **lanata** 197, 199, 200, 202, 205,
 210; pezizoidea 196, 199, 201, 207;
 rutilans 202; **sarcoides** 204; sali-
 cina 196, 197, 199, 200, 202, 203,
 204; sarcoides 199, 200, 202; simu-
 lans 196, 199, 200, 201, 207; **ste-**
reoides 199, 200, 201, 205, 210;
 tremellosa 207; wettsteinii 207
 Cyttarophyllum 223, 226

 Dacrymyces 112; abietinus 689
 Daedalia philippinensis 376
 Dasyscypha **aplopappi** 229; caliculi-
 forme 230; fairmani 231; flammea
 230; incarnata 231; **phlogis** 230;
salmonea 230
 Dermatocarpon 108
 Dermea 114, 463, 713; cerasi 719;
 padi 719; prunastri 719; pruni 721
 Dermatea 114, 463
 Desmella 280

- Diacanthodes 376
 Dicellomyces gloeosporus 687, 688
 Dictyuchus 365, 729; achlyoides 368;
 anomalus 368, 369, 371, 372; car-
 pophorus 369, 371; missouriensis
 369, 371; monosporus 143, 150, 319,
 320, 326, 327, 368, 370, 371; pseu-
 doachlyoides 368; pseudodictyon
 369, 728, 729
 Ditangium 683
 Doassansia 244; intermedia 269;
morotiana 269
 Dothidella aristidae 567
 Dryophila capnoides 508; dispersa
 511; fascicularis 516; fascicularis
 var. capnoides 508; sublateralis
 505; uda 484
 Elfvingia lobata 376
 Endocochlus 171, 172, 179, 181, 183;
 gigas 162, 163
 Entoloma cokeri 236; **weberi 236**
 Entorrhiza 244
 Entyloma 244
 Erysiphe 568; graminis 568
 Escherichia coli 13
 Euryancale 161, 184; sacciospora 184
 Exidia 112, 678, 683; albida 684;
 beardleei 685; candida 684; cinna-
 barina 203; glandulosa 678; re-
 panda 685; thuretiana 684; **tre-
 melloides 682**
 Exidiopsis alba 112, 113
 Farysia 244
 Favotrichophyton 544; glabrum 546;
 violaceum 546; violaceum var.
 coccineum 546; violaceum var.
 khartoumense 546; violaceum var.
 marginatum 546
 Fayodia 601
 Flammula 472, 473; astragalina 505
 Fonsecaea pedrosoi var. communis
 425; pedrosoi var. typicus 425
 Galerina 225
 Galeropsis 218, 223, 226
 Galerula 473
 Geophila capnoides 508; dispersa
 511; ericaea 485; fascicularis 516;
 sublateralis 505; uda 484
**Gerronema 599, 602, 604; depau-
 peratum 601, 602; elasticum 599,
 601, 602; melanomphax 602, 604**
 Gerwasia 280
 Gloecystidium macedonicum 55
 Gloeosoma 201; capensis 208
 Gloeosporium meinersii 563; meiner-
 sii var. alpina 563
 Gloeotulasnella **rogersii 688, 689**
 Graphiola phoenixis 244
 Graphis 108
 Grifola berkeleyi 376
 Guepiniopsis 687
 Gymnopilus 218
 Gymnopus **umbrinescens 236**
 Hansenula anomala 389
 Haplosporangium 605-607, 609, 616;
 bisporeale 620; decipiens 620; lig-
 nicola 620; parvum 605
 Helicogloea 678; **parasitica 627;
 sebacinoides 677**
 Helminthosporium buchloes 550, 566;
 carbonum 425; maydis 425; vagans
 566
 Hemileia 271; americana 276; anti-
 desnae 276; buntungii 276; canthii
 272; chlorocodonis 276; coffeicola
 279; deightonii 276; dioscoreae
 var. aculeatae 276; evansii 276;
 fadogiae 276; fahnii 276; gardi-
 niae var. thunbergiae 276; hans-
 fordii 274, 276; harunganae 276;
 hollerrhenae 276; holstii 274, 276;
 jasmin 274, 276; mildbraedii 274;
 mysorensis 274; oncidii 276; oxy-
 anthae 276; paveticola 274, 276;
 phajii 276; rutidae 276; scheffleri
 274, 276; scholzii 276; scitula 276;
 smalii 276; strophanthi 276; vas-
 tatrix 271, 276; woodii 272, 276;
 wrightae 276
 Hemophilus ducreyi 659
 Hendersonia 567, 568; aristidae 567;
 crastophila 557; culmiseda 556;
 stipae-pennatae 556
 Hericium 240
 Hirneola 351, 352
 Hirsutella 691, 696; abietina 701;
 acridiorum 712; aphidis 712;
 arachnophila 712; besseyi 713;
 barberi 703, 704, 706, 707; citri-
 formis 691, 697, 699, 701, 709;
 clavispora 707; dipterigena 708;
 eleutheratorum 702; entomophila
 691, 692, 696, 701, 702; exoleta
 707; floccosa 691, 705, 712; formi-
 carum 711, 712; fusiformis 691,
 697; gigantea 706; lecanicola 701;
 liberiana 712; neo-volkiana 712;
 nodulosa 712; radiata 707; ra-
 mosa 707, 713; saussurei 691, 708,
 710, 711; strigosa 712; **stylophora
 702; subulata 704, 706, 707; thomp-
 sonii 712; versicolor 712; verti-
 cilloides 713; volkiana 712**
 Histoplasma 621; capsulatum 418,
 609, 622
 Hormodendrum 621

- Humicola* 646, 647; *fuscoatra* 652-655, 657; *grisea*, 652, 653, 655, 657
Hydnellum 240; *diabolus f. reticulatum* 241
Hydnum 110, 240, 459, 461; *fuligineo-album* 240; *fusco-atrum* 459, 460, 462; *setosum* 461
Hylophila myosotis 481
Hymenostilbe 692, 701, 711; *spheco-phila* 711
Hypholoma 467; *anomalum* 477; *buxbaumii* 467; *candolleianum* 467; *capnoides* 508; *cascium* 467; *coronatum* 467; *dispersum* 511; *dispersum var. idahoense* 513; *elongatipes* 492; *elongatum* 491; *fascicularis* 516; *flavovirens* 519, 520; *lachrymabundum* 467; *lateritium* 505; *marginatum* 511; *melaninum* 467; *olympianum* 503; *papillatum* 519, 520; *perplexum* 505; *polytrichi* 496; *prescoti* 467; *pyrotrichum* 467; *radicosum* 501; *squalidellum* 493; *storea* 467; *sublateritium* 505; *subochraceum* 504; *subpapillatum* 467; *tsugaecola* 511, 520; *udum* 483; *velutinum* 467; *viscidipes* 479
Inocybe 222, 376, 476, 479
Isaria 691; *barberi* 703, 704; *brachiatata* 713; *crinita* 708; *floccosa* 705; *sphaerocephala* 711; *spheco-phila* 710; *saussurei* 710
Isoachlya anisospora var. indica 143; *intermedia* 146, 150, 320, 326, 327; *monilifera* 143
Klebsiella pneumoniae 13
Kuehneromyces 472, 520; *mutabilis* 511, 520
Kuntzeomyces 314; *ustilaginoideus* 314
Lachnella campanula 231; *grisea* 211, 212
Lachnum fusco-floccosum 230
Lactarius 376; *mucidus* 504
Laetinaeovia 232; *veratri* 231
Lagenulopsis 437
Leccinum brunneo-olivaceum 360
Lepiota aspericeps 237; *murinidisca* 237; *neglecta* 237
Leptonia domestica 238; *floridana* 238; *subfloridana* 238
Leptoniella domestica 238; *subfloridana* 238
Leptosphaeria 38
Lomatina 202; *salicina* 202
Mainsia 281
Marssonina 373; *thomasiana* 375
Mastigosporium deschampsiae 566; *rubricosum* 566
Matula 201, 208; *poroniaeformis* 208; *rompelii* 208
Melampsora 98
Melanconium fuliginum 625
Melanopsichium emodensis 270
Melanotaenium 244
Memmoniella 414; *echinata* 14, 649, 652
Metarrhizium 423; *anisopliae* 427; *brunneum* 425
Michenera rompelii 208
Microsporium audouinii 284; *canis* 284; *gypseum* 284
Mollisia hysteroideus 233; *lilacea* 212, 213; *melaleuca* 233; *shastensis* 232, 233; *tyrolensis* 234
Monosporium apiospermum 418
Monotospora 647; *lanuginosa* 653, 655, 657; *toruloides* 653
Montagnea 223, 226
Morchella conica 402, 403; *deliciosa* 402; *esculenta* 402; *esculenta var. rotunda* 402
Mortierella 620; *alpina* 723-725
Mycoacia 459; *fuscoatra* 460, 462; *setosa* 460; *stenodon* 460; *uda* 460, 462
Mycobacterium sinegina 13
Mycobonia 221
Mycogloea carnosa 677
Mykoxyrinx cissi 622
Myrothecium verrucaria 14
Naematoloma 467; *aelopus* 467; *anomalum* 473, 476, 477; *capnoides* 467, 473, 501, 508, 519, 520; *campestre* 473, 476, 497, 500; *dispersum* 467, 476, 496, 497, 511, 513, 516; *dispersum var. dispersum* 501, 511, 515; *dispersum var. flavifolium* 501, 515; *dispersum var. idahoense* 501, 513; *elongatum* 477, 491, 493; *epixanthum* 467; *ericaceum* 476, 480, 485; *fasciculare* 467, 501, 516; *humidicola* 473, 477, 489; *longisporum* 476, 480; *myosotis* 476, 481, 483; *olivaceotinctum* 477, 488; *olympianum* 473, 500, 503; *petasiforme* 493; *polytrichi* 476, 496, 497; *potteri* 476, 499, 500; *radicosum* 500, 501, 504; *squalidellum* 476, 485, 493, 496, 497; *sublateritium* 467, 500, 505, 519; *subochraceum* 500, 504; *subviride* 501, 519; *udum* 467, 476, 477, 480, 481, 483; *udum var. elongatum* 467, 492; *udum var.*

- polytrichi 467, 496; **viscidipes** 473, 476, 479
- Naucoria 473; elatior 476, 483; humicola 489, 491; myosotis 481; obtusissima 492, 493
- Neurospora 320, 404, 407
- Nidula 329; candida 329; microcarpa 329
- Nidularia 329, 337; pisiformis 336
- Nigredo armeriae 186; limonii 186
- Nocardia 658, 661, 666, 667, 669, 670, 674; actinomorpha 672; asteroides 658, 671, 673; blackwellii 672; brasiliensis 661, 674; caprae 671, 673; caviae 672; citrea 672; colliaca 671, 673; corallina 671; cuniculi 672; erythropolis 671; farcinica 672, 673, 674; **fastidiosa** 658, 675; flava 612; flavescens 672; gardneri 672; globerula 671; intracellularis 679; leishmania 671, 673; lutea 672; maculata 672; madurae 661, 672; mesenterica 672; minima 671, 673; opaca 671; paraffinae 671, 673; paraguayensis 674; pelletieri; pretoriana 671, 673; polychromogenes 671, 673; pulmonalis 671, 673; rangoonensis 672; rhodii 672; rubra 672, 673; rubropertincta 671, 673, 674; salmonicolor 672, 673; transvalensis 671, 673; viridis 672
- Nolanea **mammillata** 239; pallidiceps 239
- Odontia 460, 461; fusco-atra 460, 461
- Omphalia elastica 601
- Omphalina 598, 599, 603, 604
- Orbilina 232
- Oxydantia 459; setosa 461
- Paecilomyces 423; variota 425
- Panus tigrinus 221
- Pellicularia 728; koleroga 111
- Penicillium 423, 616; chrysogenum 425; notatum 14, 347, 425
- Peniophora 53; accedens 57; amoena 55, 56; argillacea 55; **assimilis** 55, 56; chordalis 55; **exima** 59, 60; farinacea 58; guttulifera 61; habgallae 208; **involuta** 54, 55, 56; juniperina 57; medioburiensis 55, 56, 57; **munda** 58, 59; orphanella 55; orphanella *subsp.* pinastri 55; **prominens** 57, 59; pubera 61; **regifica** 57, 58; vitis 55
- Peronospora 448; antirrhini 449; **davisii** 445, 446; grisea 449; heideomatis 446; hydrophylli 452; **jacksonii** 448, 449; linariae 449; lophanthi 446; melampyri 449; **nemophilae** 450, 451, 452; rossica 446; sordida 449; stigmaticola 113, 114, 446
- Pezicula 720; rubi 720
- Phaeangium 720; pruni 719; rubi 720
- Phaeoseptoria 554, 555; calamagrostidis 554, 555; festucae 554, 559; poae 559
- Phellodon 240; brunneo-olivaceus 241
- Phialophora 621
- Phlebia mesenterica 463
- Pholiota 471, 472
- Phoma 565
- Phragmidium 96
- Phycomyces blakesleanus 14, 302, 324
- Phyllachora 567, 568; coloradensis 568; texensis 568
- Phyllosticta 559; **bromivera** 551, 553; helenae 553; miyakei 553
- Physoderma 430; **aeschynomenis** 435
- Pityrosporum 524, 532; malassezii 525; **orbiculare** 524, 532; ovale 308, 524-527, 531, 532
- Plasmopara 448, 454; **cercidis** 452; **myosotidis** 447
- Pleospora 34, 570; abbreviata 36, 38, 49, 50, 53, 582; alpestris 571, 581; **ambigua** 35-37, 41, 42; *ambigua var. ambigua* 43; *ambigua var. crandallii* 43; amplispora 572, 585; **angustata** 35, 36, 39; anthylidis 582; armeriae 570; **asymmetrica** 572, 582; balsamorrhizae 38, 44, 46; brachyspora 38; calvescens 34; chlamydospora 38; chrysospora 45; chrysospora *var. polaris* 38; ciliata 48, 49, 52; coloradensis 37, 44, 571, 577; comata 36, 37, 46-51, 578, 579; crandallii 41, 53; gigaspora 585; glacialis 41, 45, 47, 52; heliocharidis 579; helvetica 36-38, 41, 43, 45-47, 52; herbarum 34, 37, 52, 570; herbarum *var. occidentalis* 35, 44, 578; heterospora 579; hispida 41, 45; hispida *var. alpina* 41; idahoensis 565; kouh-sefidica 36, 37, 49, 50, 53; laxa 571, 580; lepidicola 42; longispora 572; media 41; media *var. acuta* 37, 41; media *var. obtusa* 37, 42; media *var. variabilis* 42; megalotheca 578; montana 571; multiseptata 572, 585; nivalis 45; njeagusensis 37, 46, 53, 571, 578; obliqua 571, 579; oligotricha 45, 52; phaeocomes 41; phaeocomoides 41; phaeospora 46; pleosphaerioides 34; pulchra 572,

- 583; punctiformis 578; **pyrenaica** 53; **rainierensis** 572, 586; richtophensis 35, 39; richtophensis *var.* pallida 39; rubicunda 579; spinarum 41, 45, 47, 52; **stenospora** 577; tetraneuris 47; tomentosa 34; tragacanthae 36-38, 41, 45, 47, 50, 52, 53; trichostoma 34; **ushawaiensis** 41; vulgaris 35, 41, 47
- Pleurocybella** 598, 599, 602
- Pleurotus ostreatus** 600
- Pleuraea** 423; *curvula* 425
- Polistoptora antillarum** 710
- Polyporus asterosporus** 376; **rufescens** 376
- Polystictus xanthopus** 355
- Porothelium** 196
- Pratella fascicularis** 516
- Prospodium** 281
- Protoachlya paradoxa** 146, 150, 320, 326, 327
- Protomyces** 435
- Psathyrella petasiformis** 493, 496
- Pseudofavolus** 221
- Pseudohydnum** 240
- Pseudomonas aeruginosa** 13
- Psilocybe** 468, 469, 471-473, 499, 500; elongatipes 493; **longispora** 480; ochraiceps 511, 512; **olivaccotincta** 488, 489; **squalidella** *var.* deformata 484; **squalidella** *var.* macrospora 484; subviridis 519; **uda** 469, 483; *uda* *var.* polytrichi 496
- Pterula setosa** 691
- Puccinia abei** 91; **absinthii** 87; abundinellae-anomalae 91; acetosae 83; adjuncta 87; **adoxae** 99, 100; aestivalis 94, 95; **albescens** 100; **anhweiana** 88, 93; **argentata** 99, 100, 101; asparalucidi 87; bardanae 87; benokiyamensis 82; cacao 90; caricis 96; **caricis-asteris** 86; caricis-gibbae 90; **chrysanthemi** 87; **cirsii-maritimi** 87; **clematidicola** 81; **congesta** 82; **connersii** 456; **convolvuli** 85; **coronata** 92, 94, 456, 457; **corylopsidis** 83; cynosuroides 92; **cyperi** 87; dieteliana 85; dispori 88; **elacagni** 85; **eragrostidicola** 92; **eragrostidis-arundinaceae** 92; **eragrostidis-chalcantiae** 92; **eragrostidis-ferruginae** 92; **erythropus** 95; **eulaliae** 95; **exhausta** 81; **fimbristylidis** 80, 90; **funkiae** 88; **fusispora** 81; **glechomatis** 85; **hayatae** 81; **helianthi** 86; **hieracii** 87; **hordei** 92; **iridis** 88; **kuehnii** 95; **kwangsiana** 86; **kweichowana** 83, 84; **liberta** 89; **longicornis** 90; **longinqua** 90, 93; **magnusiana** 90; **mammillata** 83; **melanocephala** 90; **menthae** 85, 98; **millefolii** 87; **minussensis** 87; **moliniicola** 92, 93; **montanensis** 562; **morigera** 91, 93; **moriokaensis** 91; **nanbuana** 86; **nasuensis** 88; **nuttalliana** 76; **oahuensis** 94; **obtegens** 87; **oenanthes** 86; **okatamaensis** 91; **pangasinensis** 93, 94; **parca** 83; **patriniae** 86; **poae-sudeticae** 90; **polygami-amphibii** 82; **polygami-lapathifolii** 83; **polygami-weyrichii** 83; **praegracilis** 456; **praegracilis** *var.* **connersii** 458; **praegracilis** *var.* **praegracilis** 457; **rangiferina** 94; **romagnoliana** 89; **rubigo-vera** 92; **rufipes** 95; **saniculae** 86; **saussureae** 86; **saussureae-alpinae**, 87; **saussureae-usuriensis** 86; **scirpi-mucronati** 98; **scirpi-ternatani** 89; **scirpi-triqueteris** 98; **scleriae** 90; **scleriae-dregianae** 90; **septentrionatis** 83; **sibirica** 83; **sinicensis** 88; **smilacinae** 88; **sorgi** 95; **stellariicola** 81; **subhyalina** 90; **taiwaniana** 94; **tenuis** 86; **tepperi** 91; **tokyensis** 86; **torosa** 91; **violae** 85; **wattiana** 81
- Pucciniastrum** 98
- Pulveroboletus melleoluteus** 361; **ravenelii** 362
- Pyrenophora** 34, 47, 51, 53; **abscondita** 39, 41; **ambigua** 42, 43, 52; **bornmulleri** 48, 49, 63; **ciliata** 48, 52, 53; **comata** 52; **gigantis** 581; **glacialis** 45; **helvetica** 52; **hispida** 52; **hispida** *var.* **alpina** 52; **oligotricha** 45, 47, 52; **phaeospora** 47; **scleranthii** 41, 43, 52; **tetraneuridis** 45, 47, 52; **tragacanthae** 45; **ushawaiensis** 43, 45, 53; **venturia** 38
- Pythium arrhenomanes** 180; **ascophyllum** 324; **irregulare** 149; **ultimum** 161, 169, 175, 177, 184
- Pythiomorpha gonapodiodes** 324
- Rhinocladium beurnmanni** 120; **equinum** 120
- Rhizoctonia microsclerotia** 727; **solanii** 149
- Rhodotorula aurantiaca** 308
- Richoniella** 223
- Robillarda agrostidis** 551; **muhlenbergiae** 531, 551
- Russula** 376
- Sabouraudites violaceus** 544, 546
- Saccharomyces cerevisiae** 117, 389, 398, 399; **ovalis** 525, 526; **sphaericus** 525-527, 529, 533
- Saprolegnia** 143, 319; **delica** 143, 146, 150, 320, 325, 327; **ferax** 143; **monoica** 143; **parasitica** 143

- Sarcodon 240; excentricus 241; reticulatus 241
 Schroeteria 244
 Sclerotinia vaccinii 622
 Scolecotrichum graminis 565, 567
 Scopella 280; cristostegiae 280
 Scopulariopsis brevicaulis 622
 Sebacia 113; caesio-cinerea 684; dubia 689; deminuta 689; plumescens 689
 Secotium 225; agaricoides 221; arizonicum 215; guenzii 215, 216; magellanicum 215
 Seismosarca 112, 113; alba 112; hydrophora 112, 113; stratosia 113; tomentosa 113
 Selenophoma donacis 555
 Septogloeum 565; oxysporum 553, 564
 Septoria 555; agropyrina 561, 562; andropogonis 560; andropogonis f. sporobolicola 562; avenae 559, 560; avenae f. sp. triticea 561; clama-grostidis 560; calamovillae 560; elymi f. elymina 561; infuscans 558, 560; nodorum 553, 561, 562; passerinii 562, 563; secalis var. stipae 560
 Sirobasidium sanguineum 689
 Sistotrema 240
 Solenia 196
 Sorosporium aristidae-cyananthae 270; **panici-carthagenesis** 268; stiparum 269; syntherismae 68
 Sphacelotheca 244, 268, 270; cruenta 68; hydropiperis var. **berkeleyana** 270; hydropiperis var. columellifera 270; montaniensis 68; pappophori 270; polygoni-alpini 267; sorghi 68
 Sphaeria abscondita 39
 Sphaerosporium 646; lignatile 646
 Sporotrichum 117, 621; acuminatum 120; asteroides 120; beurmanni 120; schenckii 120; tropicali 120
 Stagonospora 555; bromi 553, 561; **mariae** 553, 555; simplicior 559; vexatula 555, 563
 Staphylococcus albus 308; aureus 11-13, 15, 308
 Steccherinum 240
 Stemphylium consorale 14
 Stereum 197, 206; pubescens 204
 Streptomyces 669; pelletieri 674
 Stropharia 468, 469, 471, 472; subumbonatescens 485, 488
 Stylopaga hadra 172
 Stypella minor 689
 Synchytrium 590; abnorme 595; am-sinckiae 594; andinum 590, 594; anemones 590, 592, 595; anomalum 590, 592, 595; asari 593; aureum 590, 591, 595; australe 590, 592, 595; boerhaaviae 590, 595; caricis 592; cellulare 593, 594; cerastii 594, 595; chiltonii 594; chrysosplenii 590, 594; cinnamomeum 592; decipiens 591, 595; dolochi 590, 595; edgertonii 594; endobioticum 590, 594; erigerontis 594; fragariae 594; fulgens 590, 591; geranii 592; globosum 590, 592; groenlandicum 590, 594, 595; holwayi 593; hydrocotyles 594; **impatiens** 103, 104, 105, 595; innominatum 594; jonesii 594; lepidii 594; ligustici 594; lythri 595; marginale 594; marrubia 594; modiolensis 594, 595; myosotidis 590, 593, 594; nigrescens 594; nitidum 594; oxalidis 595; papillatum 593; perforatum 594; plantageum 590, 593; pluriannulatum 592, 595; polemionii 594; potentillae 590, 594, 595; pulverum 594; punctatum 594; ranunculi 595; rugulosum 594; sambuci 595; scirpi 593; **smilacis** 105, 106, 107, 595; stachydis 595; stellariae 590, 592; succisae 590, 594; taraxaci 590, 593, 594; vaccinii 593, 595
 Synnematum 691, 714; graptosaltariae 717; jonesii 694, 714-717
 Termitomyces 225
Thaxterogaster 216, 220, 221, 223, 225-227; **magellanicum** 215, 216, 219, 222; **violaceum** 216, 220, 222
 Thecaphora 244
 Thelephora cruenta 202; flocculentum 204; mesenterica 462; salicina 202; sarcoides 204
 Thielaviopsis basicola 622
 Thraustotheca clavata 143; primo-achlya 146, 150, 320, 326
 Tilachlidium 696, 713; brachiatum 694; larvarum 713, 714; pinnatum 694, 713; **ramosum** 714
 Tilletia 244; elymi 68; guyotiana 68
 Torrendia 223, 225
 Trechispora onusta 111
 Tremella 112, 113, 683; albida 683, 684; candida 683, 684; candida var. effusa 683; cerebrina alba 683; **coalescens** 678; foliacea 109; lutescens 683; mesenterica 683, 684; moriformis 681; pululahuana 113; reticulata 109; viscosa 684
 Treponema pallida 659
 Trichophyton 306, 544, 545; faviforme 299, 543; glabrum 299, 544-546; marginatum 546; mentagrophytes 11, 13, 14, 117, 118, 306,

- 542; schoenleini 299, 544; violaceum 297, 536; violaceum *var.* khartoumense 546; violaceum *var.* coccineum 546
- Trichosterigma 691; arachnophilum 691; attenuatum 692, 697, 699, 701; clavisporum 691
- Truncocolumella 223
- Tubercinia 244, 270
- Tulasnella 689
- Tylopilus ferrugineus *ssp.* **vinaceo-griseus** 359
- Typhula gracilis 691
- Uredo 98; alpestris 97; anthraxoniciliaris 98; iyoensis 85, 97; kyllingae 98; scirpi-erecti 98; scleriae 314, 316; **tholopsora** 97
- Urocystis 244, 270; agropyri 68; **alaskana** 269; fraseri 69; hepaticae-trilobae 270; ranunculi-aurei 270
- Uromyces alopecuri 80; amurensis 79; armeriae 186-188, 190, 192, 195; armeriae *ssp.* **armeriae** 188, 189, 195; armeriae *ssp.* **hudsonicus** 188, 190, 195; armeriae *ssp.* **pacificus** 188, 191, 195; commelinae 79; coronatus 80; crassivertix 78; fabae 79; geranii 78; guayacuru 193, 195; hyperici 78; **kwangsiensis** 80; leptaleus 78, 84; leptodermus 80, lespedezae-procumbentis 79; limonii 186-188, 191-195; limonii *var.* armeriae 186; **limonii-caroliniani** 188, 192, 193, 194, 195; phaseoli 79; sophorae-japonicae 79, sphaerocarpus 79; staticae-sinensis 194, 195; striatus 79; vignae 79
- Ustilago 244, 270; aculeata 70; bosniaca 268; braziliensis 267; bullata 70; crus-galli 71; gregaria 267; hilariae 72; hypodytes 72; leucoderma 311; longissima 72; occulta 268; oxalidis 267, oxalidis *var.* major 267; **panici-carthagenensis** 268; **polygami-alpini** 267; residua 72; **sanctae-catharinae** 268; scleriae 314; shastensis 268; sitanii 72, 74; spegazzinii 74; spegazzinii *var.* agrestis 74; stiparum 269; striiformis 75; underwoodii 270
- Velutaria 721; rufoolivacea 720
- Verticillium fuliginosum 713
- Xerocomus **rubrosquamulosus** 359
- Zoöpage 173